

# Linux Command Line Cheat Sheet

by Dave Child (DaveChild) via cheatography.com/1/cs/49/

Bash Commands	
uname -a	Show system and kernel
	kernei
head -n1 /etc/issue	Show distribution
mount	Show mounted filesy-
	stems
date	Show system date
uptime	Show uptime
whoami	Show your username
man command	Show manual for
	command

Bash Short	cuts
CTRL-c	Stop current command
CTRL-z	Sleep program
CTRL-a	Go to start of line
CTRL-e	Go to end of line
CTRL-u	Cut from start of line
CTRL-k	Cut to end of line
CTRL-r	Search history
!!	Repeat last command
!abc	Run last command starting with abc
! <i>abc</i> :p	Print last command starting with <i>abc</i>
!\$	Last argument of previous command
ALT	Last argument of previous command
!*	All arguments of previous command
^abc^123	Run previous command,

Bash Variables		
0	Show environment variables	
	Output value of <i>\$NAME</i> variable	

replacing abc with 123

Bash Variables (cont)	
export NAME=value	Set \$NAME to value
\$PATH	Executable search path
\$HOME	Home directory
\$SHELL	Current shell
IO Redirection	
cmd < file	

IO Redirection
cmd < file
Input of cmd from file
cmd1 <(cmd2)
Output of cmd2 as file input to cmd1
cmd > file
Standard output (stdout) of cmd to file
cmd > /dev/null
Discard stdout of cmd
cmd >> file
Append stdout to file
cmd 2> file
Error output (stderr) of cmd to file
cmd 1>&2
stdout to same place as stderr
cmd 2>&1
stderr to same place as stdout
cmd &> file
Every output of cmd to file
cmd refers to a command.

Pipes	
cmd1   cmd2	
stdout of cmd1 to cmd2	
cmd1  & cmd2	
stderr of cmd1 to cmd2	

Command Lists
cmd1; cmd2
Run cmd1 then cmd2
cmd1 && cmd2
Run cmd2 if cmd1 is successful
cmd1   cmd2
Run cmd2 if cmd1 is not successful
cmd &
Run <i>cmd</i> in a subshell

Directory Operations		
pwd	Show current directory	
mkdir <i>dir</i>	Make directory dir	
cd <i>dir</i>	Change directory to dir	
cd	Go up a directory	
ls	List files	

is Options		
-a	Show all (including hidden)	
-R	Recursive list	
-r	Reverse order	
-t	Sort by last modified	
-S	Sort by file size	
-1	Long listing format	
-1	One file per line	
-m	Comma-separated output	
-Q	Quoted output	

Search Files	
grep pattern files	Search for <i>pattern</i> in <i>files</i>
grep -i	Case insensitive search
grep -r	Recursive search
grep -v	Inverted search
grep -o	Show matched part of file only
find /dir/-name name*	Find files starting with <i>name</i> in <i>dir</i>



By **Dave Child** (DaveChild) cheatography.com/davechild/ aloneonahill.com

Published 28th October, 2011. Last updated 29th February, 2020. Page 1 of 2. Sponsored by **Readable.com**Measure your website readability!
https://readable.com



## Linux Command Line Cheat Sheet

by Dave Child (DaveChild) via cheatography.com/1/cs/49/

Search Files (cont)	
find /dir/-user name	Find files owned by name in dir
find /dir/-mmin num	Find files modifed less than <i>num</i> minutes ago in <i>dir</i>
whereis command	Find binary / source / manual for <i>command</i>
locate file	Find <i>file</i> (quick search of system index)

File Operations	File	Opera	itions
-----------------	------	-------	--------

touch file1

Create file1

cat file1 file2

Concatenate files and output

less file1

View and paginate file1

file file1

Get type of file1

cp file1 file2

Copy file1 to file2

mv file1 file2

Move file1 to file2

rm file1

Delete file1

head file1

Show first 10 lines of file1

tail file1

Show last 10 lines of file1

tail -F file 1

Output last lines of file1 as it changes

## Watch a Command

watch -n 5 'ntpq -p'

Issue the 'ntpq -p' command every 5 seconds and display output



ps Show snapshot of processes
top Show real time processes
kill *pid* Kill process with id *pid*pkill *name* Kill process with name *name*killall *name* Kill all processes with names
beginning *name* 

## Nano Shortcuts

Ctrl-R Read file
Ctrl-O Save file
Ctrl-X Close file

#### **Cut and Paste**

ALT-A Start marking text
CTRL-K Cut marked text or line

Paste text

End of file

#### Navigate File

CTRL-U

ALT-/

CTRL-A Beginning of line
CTRL-E End of line
CTRL-C Show line number
CTRL-\_ Go to line number
Search File
CTRL-W Find

CTRL-W Find

ALT-W Find next

CTRL-\ Search and replace

More nano info at:

http://www.nano-editor.org/docs.php

## Screen Shortcuts

screen

Start a screen session.

screen -r

Resume a screen session.

## Screen Shortcuts (cont)

screen -list

Show your current screen sessions.

CTRL-A

Activate commands for screen.

CTRL-A c

Create a new instance of terminal.

CTRL-A n

Go to the next instance of terminal.

CTRL-Ap

Go to the previous instance of terminal.

CTRL-A "

Show current instances of terminals.

CTRL-A A

Rename the current instance.

More screen info at:

http://www.gnu.org/software/screen/

## File Permissions

chmod 775 file

Change mode of file to 775

chmod -R 600 folder

Recursively chmod folder to 600

chown user.group file

Change *file* owner to *user* and group to *group* 

## **File Permission Numbers**

First digit is owner permission, second is group and third is everyone.

Calculate permission digits by adding numbers below.

4 read (r)

2 write (w)

1 execute (x)



By **Dave Child** (DaveChild) cheatography.com/davechild/aloneonahill.com

Published 28th October, 2011. Last updated 29th February, 2020. Page 2 of 2. Sponsored by Readable.com

Measure your website readability!

https://readable.com